

Section 625 - Street Grades

(Shown for reference and information only and not included as a part of this ordinance code)

ORDINANCE NO. 27 (NO. 45 NEW SERIES)

AN ORDINANCE ESTABLISHING GRADE OF STREETS AND ALLEYS, CURVATURE AND WIDTH OF ROADWAYS AND GUTTERS AND THE HEIGHT AND GRADE OF THE SIDEWALKS IN THE VILLAGE OF LANESBORO.

The Common Council of the Village of Lanesboro, do hereby ordain:

Section 1

All grades and elevations fixed and established, and all grades and elevations that shall or may be hereafter be established in the Village of Lanesboro are and shall be described in feet and in feet and decimals of a foot above a certain assumed base which said base is (50.16) Fifty and Sixteen One Hundredths Feet below the top of the Northeast window sill of the front of the City Hall located on Lot Number 17 so called and commonly known as Block Number 16 of the Village plat to Lanesboro.

Section 2

The grades of the streets in the Village of Lanesboro mentioned in the table following and in this section contained at the points of intersection of the center lines of said streets with each other or at points designated therein between said intersections are and shall be fixed at the heights shown by the figures set in the places where the spaces between the lines containing the names of such streets of the location of such point at the left hand side of the table intersects the spaces between the lines containing the names of such streets or the location of such points at the tops of said tables respectively as follows:

	South Line 1st St.	South Line Alley 150 N. of 2nd St.	2nd St.	North Side 3rd St.	West Side First Street	75 ft. W. of W. side of D. St.	"E" St.	250 W. of West side "E" St.
"E" Str.	44.0	47.50	49.0	45.75				
2nd St.						48.0	49.0	41.0

Section 3

All the grades between the points mentioned in the table contained in Section Two (2) of this ordinance shall be on straight lines drawn from one fixed point to the nearest fixed point.

Section 4

When not otherwise provided by special ordinance or resolution the grade of the center line of any alley running through any block shall be upon a straight line from a point six inches below the grade of the sidewalk upon one side of the block to a point six inches below the grade of the sidewalk on the other side of the block and the grade of the outer lines of the alley shall be upon straight lines from the grade of the sidewalk on one side of the block to the grade of the sidewalk on the other side of the block and the spaces between these lines the center line shall be upon planes connecting these lines.

Section 5

The grade of elevation of the top of the outer line of the sidewalk excepting in cases hereinafter in this ordinance especially provided for shall be upon each street crossing the same as provided in Section 2 of this ordinance. The grade of the top of the outer line of any sidewalk between any two fixed points shall be upon a straight line from the top of the outer line of the sidewalk upon one of the fixed points to the top of the outer line of the sidewalk upon the other of the said fixed points excepting in cases otherwise specially provided for. The grade of the inner line of the sidewalk adjoining the lot shall be above the opposite outer edge by a distance which shall equal the ratio of one inch to each four feet of distance that the outer edge is distant from the lot line.

The elevations of the top of the outer edge of the sidewalk on the streets and at the several points below mentioned shall be as expressed in each case in feet and decimals of a foot above the base established by Section 2 of this ordinance.

On "E" Street at the crossing of 2nd Street 49.00,
125 feet north of the north line of 3rd Street on the west side of "E" Street
49.00.
Northwest corner of "E" Street and 3rd Street 47.00.
On the north side of 2nd Street 150 feet east of the east line of "E" Street
49.00.
The northwest corner of 2nd Street and "D" Street 47.00.

Section 6

On 2nd Street from the west side of "D" Street to the east side of "F" Street except where otherwise especially provided for, the width of the sidewalk shall be twelve feet and on "E" Street from the north side of Third Street to the south line of First Street except that part on the west side of "E" Street extending from the south line of First Street, south to the north line of alley running west through the block. The sidewalk above excepted shall be 14 feet. The sidewalks above excepted shall be placed 14 feet from the lot line.

Section 7

Sidewalk on all streets shall be upon a plane which on the side adjoining the lots shall be equal to $3\frac{1}{2}$ inches above and on a line 14 feet from the line of the lots and shall be upon the grade of the center of the street as established by ordinance.

Section 8

On all streets except as herein provided the top of the curb bounding the roadway shall be at the grades established by this ordinance and shall be of sufficient depth and thickness for a substantial curb and the space between the sidewalk and the curb shall be upon the same plane with the sidewalk and the top of the curb.

Section 9

The bottom of the gutters shall be placed six (6) inches below the grade as established by ordinance and two (2) feet from the face of the curb. The surface of the gutter from the bottom toward the curb shall slope from the curb to the bottom at the rate of two inches to one foot. The surface of the gutter from the bottom toward the center shall slope toward the bottom at the ratio of one inch to each four feet.

Section 10

On all streets, posts, poles, etc., must be placed next to the curb on the side toward the gutter.

Section 11

All ordinances and parts thereof conflicting herewith heretofore passed are hereby repealed provided however this ordinance shall in no way effect Ordinance Number 26 passed July 12, 1901.

Section 12

This ordinance shall take effect and be in force from and after the date of its passage and posting as provided by the Village Charter and ordinance.

Executed and passed this 16th day of August, 1901.

R. R. Greer, Mayor

Thos. Stanton)
Julius Olson)
C. W. Schansberg) Council
C. A. Patterson)

Attest: Ira A. Pickett, Acting Clerk